

# WARNING

KEEP OUT OF REACH OF CHILDREN



**Arilon**<sup>®</sup>  
Insecticide

syngenta.

**Active Ingredient:**

ARILON contains 200 g/kg INDOXACARB in the form of a water dispersible granule.

For the control of Cockroaches, Ants and House flies in the situations specified in the Directions for Use

**Net Contents: 200 or 500 g**

*Approved pursuant to the HSNO Act 1996, Approval Code HSR100291*

**Syngenta Crop Protection Limited**

*Tower 2, Level 7, 110 Symonds Street, Auckland*

***In a transport emergency dial 111, Police or Fire Brigade.***

***For specialist advice in an emergency only, call 0800 734 607 (24 hours).***

TM

**PLEASE READ THE LABEL COMPLETELY BEFORE USE**

This product **MUST NOT** be used for any purpose or in any manner contrary to the controls and conditions of this registration.



**HSNO Classifications 6.1D, 6.9A, 9.1A, 9.3C, 9.4A**

**WARNING**

Maybe harmful if swallowed, inhaled or absorbed through the skin.  
May cause damage to the hematopoietic system from repeated oral exposure at high doses.  
Very toxic to aquatic organisms.  
Harmful to terrestrial vertebrates.  
Very toxic to terrestrial invertebrates.

**PRECAUTIONS**

Store in original container, tightly closed, under lock and key away from foodstuffs.  
When mixing or applying wear protective clothing, including, overalls, face shield, water proof gloves and footwear.  
Avoid contact with skin and eyes and inhalation of spray mist.  
If clothing becomes contaminated with product, remove clothing immediately.  
DO NOT eat, drink or smoke while using.  
Wash hands and face before eating, drinking or smoking and after work. Wash protective clothing daily after work.  
Apply with well maintained and calibrated spray equipment.  
Application, storage and record keeping should be as described in the Management of Agrichemicals NZS8409.  
Avoid contamination of any water supply with product or empty container.

**Container disposal:** Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.

**Product disposal:** Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

**FIRST AID**

If swallowed rinse mouth with water, DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. Begin artificial respiration if breathing has stopped. Use mouth to nose rather than mouth to mouth. Obtain medical attention. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in the eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

**SPILLS**

Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

**GENERAL INFORMATION**

ARILON insecticide is a water dispersible granular insecticide to be mixed in water and applied as a residual spray for control of cockroaches, ants and house flies in and around domestic, commercial, industrial and public service buildings.

ARILON is a non-repellent insecticide. This allows insects to pick up a lethal dose quickly as they are not repelled from treated areas. ARILON is activated inside the insect and can take several hours before an effect is observed with mortality occurring in less than 24 hours. ARILON does not have a flushing effect or fast “knockdown” properties like pyrethroid products.

As ARILON is non-repellent, it can be used in the same areas as bait products, without reducing the performance of the baits. Increased levels of control can be expected by using ARILON and bait products in combination.

NZFSA Approved Type D (All animal product except Dairy)  
AgriQuality approved for food, beverage / dairy and farm areas Type C.

**DIRECTIONS FOR USE**

DO NOT spray into the air as a space spray, or use in any fogging device.

DO NOT apply to areas or surfaces where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.

Situation	Pest	Rates	Critical Comments
For inside and outside Domestic, Commercial, Industrial and Public Service buildings including: factories, hospitals, homes, retail outlets, and farm buildings	Cockroaches	12.5 or 25 g/5 L of water  For maintenance applications and when shorter term residual performance is required, use 12.5 g/5 L.  For heavy infestations or when extended residual performance is required, use 25 g/5 L.	Spray known and potential cockroach hiding places. A barrier spray around hotspots and along the perimeter of rooms is recommended. A perimeter spray around buildings will help control outdoor cockroach species. For areas where sprays are not suitable (for example around electrical boxes), the use of ADVION COCKROACH GEL is recommended.
	Ants		Spray areas of infestation and building entry points. A perimeter spray around the building and in flower beds will help prevent the entry of ants. For areas where sprays are not suitable (for example around electrical boxes) the use of ADVION ANT GEL is recommended.
	House flies		Spray surfaces where flies land and rest, including internal walls and ceilings, external walls exposed to morning sun and roof spaces.

**APPLICATION**

Fill spray tank  $\frac{1}{4}$  to  $\frac{1}{2}$  full of water. Add ARILON directly to the spray tank and disperse thoroughly using mechanical or hydraulic agitation. Apply using well maintained and accurately calibrated spray equipment. DO NOT store the diluted solution. If the solution sits in the tank for a period of hours, re-agitate prior to application.

ARILON is formulated to not stain or cause damage to most building surfaces where water applied alone causes no damage. It is still recommended that before a first application is made, treat a small area and allow to dry to determine whether staining will occur.

Avoid contact with food, food utensils and food preparation surfaces, these items should be removed or covered prior to spraying. Any food items contaminated during spraying should be discarded, contaminated utensils and preparation surfaces should be washed thoroughly.

Cover any fish tanks prior to applying the product.

For non-absorbent surfaces apply 2.5 to 5 L of spray solution over 100 m<sup>2</sup>. DO NOT exceed the point of run-off.

For absorbent surfaces apply 5 to 10 L of spray solution over 100 m<sup>2</sup>.

**Food/feed areas**

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatment. Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Apply into cracks and crevices using equipment designed to deliver a pin stream between different elements of construction, between floor and equipment, openings to voids and hollow spaces in walls, bases and equipment.

**RE-ENTRY PERIOD**

DO NOT enter treated areas until the spray has dried.

**COMPATIBILITY**

For details contact Syngenta Crop Protection. Care should be taken with mixtures with more than one chemical. As formulations of other manufacturer's products are beyond the control of Syngenta all mixtures should be tested prior to use.

**STORAGE**

Store in a cool, dry, well ventilated place, and protect from sunlight. Avoid temperatures below 0°C or above 35°C. See Safety Data Sheet for additional storage information. Stores containing quantities 100 L or more require signage and secondary containment.


**SAFETY DATA SHEET**

If additional hazard information is required, refer to the Safety Data Sheet. For a copy, visit our website at [www.syngenta.co.nz](http://www.syngenta.co.nz)

**DISCLAIMER**

This product complies with the specifications in its statutory registration. Implied terms and warranties are excluded. Syngenta's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Syngenta shall have no liability.

Product names marked ® or ™, the ALLIANCE FRAME  
the SYNGENTA Logo and the PURPOSE ICON  
are Trademarks of a Syngenta Group Company



Registered to and distributed by Syngenta Crop Protection Limited, Tower 2, Level 7, 110  
Symonds Street, Auckland.

Bar code

Date of manufacture

Batch number

**UN 3077**  
**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.**  
**(indoxacarb) MARINE POLLUTANT**  
**PACKING GROUP III, HAZCHEM 2X**  
**CONTAIN SPILLAGE**



**In a transport emergency dial 111, Police or Fire Brigade.**  
**For specialist advice in an emergency only, call 0800 734 607 (24 hours).**