

EMERGENCY INFORMATION AND STORAGE GUIDE / DANGEROUS GOODS DECLARATION

PRIMO MAXX Growth Regulator

Substance: orange to red liquid (emulsifiable concentrate) containing 120 g/litre trinexapac-ethyl (CAS No. 95266-40-3)
Proper shipping name: Not a dangerous goods

UN No.	DG Class	Subsidiary Risk Class	Packing Group	Flash Point (°C)	HAZCHEM	Marine Pollutant	Maximum Transport Quantity
NA	NA	NA	NA	82°C	NA	No	NA
Hazard Classifications [HSR100371] 3.1D, 6.1E, 6.4A, 9.1D				Tracking Required No		Approved Handler Not required	IER Guide No. 47

EMERGENCY PROCEDURES

24 HOUR ADVICE IN AN EMERGENCY ONLY: 0800 734 607

IF THIS HAPPENS	DO THIS
Tanker/Vehicle Accident	Switch off engine and electrical equipment. Keep people away, warn other traffic. Check for spills, leaks. Call the emergency services: Dial 111
Spill or leak	Do NOT touch or walk through spilled material. Wear PVC overalls, chemical resistant gloves, facemask or goggles. Stop leak when safe to do so. Prevent entry into waterways, drains, or confined areas. Adsorb spilled product and place in sealable container for disposal. Wash down affected area with water plus detergent. Absorb and collect washings and place in the same sealable container for disposal. Seek advice from the local authority regarding disposal.
Fire	Call the Fire Service: Dial 111. This product is combustible. Decomposition products in a fire are toxic and or irritant. When fighting a major fire wear an air-supplied respirator. Wear protective equipment. Extinguish warehouse and factory fires using dry chemical extinguisher, foam, carbon dioxide or water spray. DO NOT use direct jet of water. Cool sealed drums with water to prevent rupture due to thermal expansion. Contain run-off. Keep non-involved persons away.

FIRST AID

If Swallowed	DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.
If in Eyes	Hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Get medical attention.
If on Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Do not scrub the skin.
If Inhaled	Remove patient to fresh air. If not breathing, give artificial respiration, preferably mouth-to-nose. Get medical attention if symptoms develop.

STORAGE AND SEGREGATION

Storage: Keep out of reach of children. Keep in original containers and tightly closed. Keep away from food, drink and animal feeding stuffs. Store in a cool, dry, well ventilated place and protect from sunlight. Avoid temperatures below 5°C or above 35°C. Keep away from flames and hot surfaces

Aggregate Storage Volume Thresholds: When stored with substances of the same hazard the aggregate quantity must be considered. For full details refer to the current NZS8409 Management of Agrichemicals and the HSNO Regulations.

Location Certificate	Hazardous Atmosphere Zone	Number of Fire Extinguishers	Hazard Class & Emergency Action Signage	Emergency Information	Emergency Plan	Secondary Containment
NA	NA	2 >= 500L	>=10,000L	>=5L	>10,000L	>=10,000L

DO NOT Store or Load With:

NA

Segregate From:

NA

Check the Land Transport Rule Dangerous Goods 1999, Rule 45001 for additional information. Refer NZS5433, sea segregation, for details.

Number and Kind of Packages:	Gross Weight: Kg	Volume: m ³
Consignor:	Consignee:	
Dangerous Goods Declaration: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packaged, marked and labelled, and are in all respects in proper condition for transport according to the applicable international and national rules, regulations and legislation.	Name: Title: Signature:	Date: