

New Zealand

Published on Syngenta (<https://www.syngenta.co.nz>)

[Home](#) > Score 10 WG

Score 10 WG



Score 10 WG

Last updated:

14.11.2018

Fungicide

Authorisation Number:

ACVM: P4879 | HSNO: HSR000627

Pack size:

500 g

Composition:

100 g/kg

DIFENOCONAZOLE

Activity Group:

Group 3 Fungicide

Formulation:

Water Dispersible Granule

SCORE 10 WG is a fungicide for the control of Blackspot in Apples and Pears, and Powdery Mildew in Apples.

Product CP: Tabs

- [Registrations](#)
- [Classification and Security](#)
- [Application Advice](#)

Registrations

Score 10 WG Apples

Apples

Apply as a dilute spray, ensuring complete coverage, without excessive run-off. For concentrate spraying, adjust dilution rate accordingly.

Blackspot

Recommended dose	Maximum number of applications	Pre Harvest Interval (PHI)
------------------	--------------------------------	----------------------------

25 g/100 litres	4 per season	35 Days
-----------------	--------------	---------

Stage of use: Preventative: Apply SCORE 10 WG in mixture with a protectant fungicide at no greater than 10 day intervals from tight cluster to second cover.
Curative: Apply SCORE 10 WG plus protectant fungicide as soon as possible but within 96 hours of the beginning of each Blackspot infection period.

Powdery Mildew

Recommended dose	Maximum number of applications	Pre Harvest Interval (PHI)
------------------	--------------------------------	----------------------------

25 g/100 litres	4 per season	35 Days
-----------------	--------------	---------

Stage of use: Apply SCORE 10 WG in mixture with an approved protectant fungicide, at 10 to 14 day intervals during the period from tight cluster to the end of leaf extension.

Score 10 WG Pears

Pears

Apply as a dilute spray, ensuring complete coverage, without excessive run-off. For concentrate spraying, adjust dilution rate accordingly.

Blackspot

Recommended dose	Maximum number of applications	Pre Harvest Interval (PHI)
------------------	--------------------------------	----------------------------

25 g/100 litres	4 per season	35 Days
-----------------	--------------	---------

Stage of use: Preventative: Apply SCORE 10 WG in mixture with a protectant fungicide at no greater than 10 day intervals from tight cluster to second cover.
Curative: Apply SCORE 10 WG plus protectant fungicide as soon as possible but within 96 hours of the beginning of each Blackspot infection period.

Classification and Security

Re-entry Period

- DO NOT enter treated area without protective clothing until spray has dried.

Hazard Statements

- 6.1E
- 6.4A
- 6.9B
- 9.1B
- 9.3C
- 9.4A

Personal Protective Equipment

- When mixing or applying, wear protective clothing including face shield, overalls, waterproof gloves and footwear.

Application Advice

Tank mixing

Add the required amount of SCORE 10 WG into the spray tank filled to one-sixth of its capacity. Under agitation add the remainder of the water with protectant fungicide ensuring complete mixing before spraying. Continue agitation during spraying and after a stoppage before recommencing spraying.

Water volume

Apply in sufficient water to ensure thorough and uniform coverage.

Rainfastness

2 hours
